





D		Bari	ي ک & Brazi	ER		
			•			
		DAKI	J C DRAZI	EK		
1290	TEST PRESSURE:			6 BAR		
SION	MAX WORKING PRESSURE					
	MAX WORKING PRESSURE 3 B, MAX WORKING TEMPERATURE: 100					
	HEAT OUTPUT DETERMINED IN ACCORDANCE WITH EN 442					
0 2222 CO.UK CO.UK	TITLE: D-RAIL 9 BAR TOWEL WARMER 1805 x 500mm - HYDRONIC					
	Ť.	scale: 1:10	DATE:			
)	16/04/2018 code: 80-50					



$\bigcirc$	)				
Ţ		BARD & BRAZIER			
$\searrow$	$\searrow$				
	$\searrow$				
$\langle $					
$\searrow$					
$\left  \right\rangle$					
$\geq$	$\langle \rangle$				
$\langle $					
$\frown$					
$\downarrow$					
$\searrow$					
$\langle \langle \rangle$					
4					
J					
	H				
	0				
1290	TEST PRESSURE:	6 BAR			
150	MAX WORKING TEMPERAT	TURE: 100°C			
	CONNECTIONS	15mm COMPRESSION			
	HEAT OUTPUT DETERMINED IN ACC	CORDANCE WITH EN 442			
) 2222	TITLE:				
CO.UK	D-RAIL 9	BAR TOWEL WARMER			
CO.UK	1805 x 5	500mm - DUAL FUEL			
	I	SCALE: DATE:			
	Ť,	1:10 16/04/2018			
	AND -				
	BARD & BRAZIER DRF180-50DF				









## FINISH TO MATCH WITH CHOSEN RAIL


DO NOT SCALE DRAWING ALL DIMENSIONS ARE IN MILLIMETERS AND MAY VARY ± 5mm AS THEY ARE HANDMADE, HAND SOLDERED AND POLISHED

WE THEREFORE RECOMMEND THAT ANY INSTALLATION WORK BE CARRIED OUT UPON RECEIPT OF RAIL.








	1290	TEST PRESSURE:			6 BAR
VATTAGE:	150	MAX WORKING TEMPERATURE:			100°C
		HEAT OUTPUT DETERMINED IN ACCORDANCE WITH EN 442			
T: +44 (0) 121 270 2222		TITLE:			
E: INFO@BARDBRAZIER.CO.UK		D-RAIL 9 BAR TOWEL WARMER			
WWW.BARDBRAZIER.CO.UK		1805 x 500mm - SEALED ELECTRIC			
			SCALE:	DATE:	
	-	Ž.	1:10	16/04/2018	
S ARE MADE IN ENG		ARI			
H QUALITY BRASS		Bard & Brazier		·	
		-	DRF180-50SE		











## FINISH TO MATCH WITH CHOSEN RAIL

DO NOT SCALE DRAWING ALL DIMENSIONS ARE IN MILLIMETERS AND MAY VARY ± 5mm AS THEY ARE HANDMADE, HAND SOLDERED AND POLISHED

WE THEREFORE RECOMMEND THAT ANY INSTALLATION WORK BE CARRIED OUT UPON RECEIPT OF RAIL.